

Declaration of Conformity

EN 61800-5-1:2007/A11:2021

EN 61800-5-2:2017

IEC 61800-5-1(ed.2)

IEC 61800-5-2(ed.2)

EN 61508-1:2010

EN 61508-2:2010

IEC 61508-1(ed.2)

IEC 61508-2(ed.2)

EN 62061: 2021

IEC 62061:2021

EN ISO 13849-1:2023

ISO 13849-1:2023

This is hereby declared that following designated product complied with the essential health and safety requirements of above standards.

Product:

AC Servo drive

Model(s):

See page 3 for details

Parameters:

Indoor installation

Temperature range: 0°C~+45°C

Humidity: Below 90% RH

Altitude: Below 2000m

Class: SIL3 PLe CAT.3

This declaration is the responsibility of the Manufacturer:

ASTOR Sp. z o.o.

Ul.Smolensk 29,31-112 Krakow, Poland

This declaration applies to all specimens manufactured identical to the model submitted for testing/ evaluation. Assessment of compliance of the product with the requirements relating to safety standards listed above was performed by manufacturer.

SIGNED ON BEHALF OF:
ASTOR Sp. z o.o.

CE

Name: _____

Surname: _____

Position/title: _____

Place and date: _____

Signature: _____

Date: 04.08.2026



ASTOR

Prokurent

Grzegorz Majewski

ASTOR Sp. z o.o.
ul. Smoleńsk 28
31-113 Kraków
NIP: 678-01-05-127
REGON: 008018680
KRS: 0000120940

Model No.	Rated Input	Rated Output	Size (mm)
AS65SRV40C4-S, AS65SRV40C4-E, AS65SRV40C4-C	3PH,AC 400V($\pm 20\%$), 47-63Hz,0.87A	3 PH,AC 0-Uinput, 0-400Hz,1.6A,400W	Size A: 170*45*170
AS65SRV20C4-S, AS65SRV20C4-E, AS65SRV20C4-C	1PH,AC 220V($\pm 15\%$), 47-63Hz,3.6A	3 PH,AC 0-Uinput, 0-400Hz,2.8A,400W	
AS65SRV21C0-S, AS65SRV21C0-E, AS65SRV21C0-C	1PH,AC 220V($\pm 15\%$), 47-63Hz,9.0A	3 PH,AC 0-Uinput, 0-400Hz,6A,1kW	
AS65SRV21C5-S, AS65SRV21C5-E, AS65SRV21C5-C	1PH/3PH,AC 220V($\pm 15\%$), 47-63Hz,13.5A/5.6A	3 PH,AC 0-Uinput, 0-400Hz,8A,1.5kW	Size B: 170*67*180
AS65SRV22C0-S, AS65SRV22C0-E, AS65SRV22C0-C	3PH,AC 220V($\pm 15\%$), 47-63Hz,18.1A/7.5A	3 PH,AC 0-Uinput, 0-400Hz,10A,2kW	
AS65SRV41C5-S, AS65SRV41C5-E, AS65SRV41C5-C	3PH,AC 400V($\pm 20\%$), 47-63Hz,3.3A	3 PH,AC 0-Uinput, 0-400Hz,5.5A,1.5kW	
AS65SRV23C0-S, AS65SRV23C0-E, AS65SRV23C0-C	1PH/3PH,AC 220V($\pm 15\%$), 47-63Hz,27.3A/11.2A	3 PH,AC 0-Uinput, 0-400Hz,13A,3kW	Size C: 170*84*180
AS65SRV43C0-S, AS65SRV43C0-E, AS65SRV43C0-C	3PH,AC 400V($\pm 20\%$), 47-63Hz,6.5A	3 PH,AC 0-Uinput, 0-400Hz,8.5A,3kW	
AS65SRV44C4-S, AS65SRV44C4-E, AS65SRV44C4-C	3PH,AC 400V($\pm 20\%$), 47-63Hz,9.6A	3 PH,AC 0-Uinput, 0-400Hz,12A,4.4kW	Size D: 245*92*190
AS65SRV45C5-S, AS65SRV45C5-E, AS65SRV45C5-C	3PH,AC 400V($\pm 20\%$), 47-63Hz,11.9A	3 PH,AC 0-Uinput, 0-400Hz,16A,5.5kW	
AS65SRV47C5-S, AS65SRV47C5-E, AS65SRV47C5-C	3PH,AC 400V($\pm 20\%$), 47-63Hz,16.3A	3 PH,AC 0-Uinput, 0-400Hz,21A,7.5kW	

7